Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		and)reference adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:21
		(clock with counter) same (clock with (PLL or (phase adj lock$2 adj loop)) same ((PLL or (phase adj lock$2 adj loop)) with counter) same (counter with comparator) same (error with output)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:24
		(error adj detect$3) with (clock adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:21
L1	84	nec adj electronics and PLL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:21
L2	17	nec adj electronics and PLL and (reference adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:22
L3	6	("5126690" | "5394444" | "5400034" | "5870002" | "6259290" | "6429901").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:27
L4	445	mitsubishi and taniguchi	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:27
L5	1	mitsubishi and taniguchi and pll	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:28
L6	15	"322200"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:34
L7	0	"KR 2000-6536"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:34
L8	0	"KR 20006536"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:34
L9	0	"KR20006536"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:34

L10	0	"20006536"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:51
L11	15	"322200"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:52
S1	1	"09/944500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:04
S2	15108	first adj counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:03
S3	72248	PLL or (phase adj lock$2 adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:38
S4	615934	comparat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:04
S5	748764	error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:04
S6	463	S2 and S3 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:04
S7	17114	second adj counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:04
S8	413	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:04
S9	172083	clock adj signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:05

S10	300	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:05
S11	41364	error adj detection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:39
S12	36	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:46
S13	7	S2 same S3 same S4 same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:15
S14	357	S9 with S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:15
S15	2	S6 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:46
S16	27	missing with (data adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:47
S17	327730	"27" and detection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 08:47
S18	14	S16 and detection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:00
S19	3353	clock with (first adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:00

S20	128	(second adj counter) with (PLL or (phase adj lock$2 adj loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:40
S21	9794	S19 ans S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:01
S22	59	S19 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:01
S23	36	S22 and comparat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 09:02
S24	821	(error near detect$3) with (clock adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:00
S25	228	S24 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:00
S26	63	S24 with pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:00
S27	25	S26 and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:09
S28	107	714/791	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:09
S29	1	S24 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:11

S30	111754	"714"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:11
S31	159	S24 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:11
S32	1	S20 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:12
S33	887134	clock adh recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:12
S34	7233	clock adj recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:12
S35	50	S24 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:12
S36	16	S35 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:01
S37	4855	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:18
S38	22	S24 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:43
S39	2	"4929918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:56

S40	1101	331/10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:20
S41	7	S24 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:56
S42	573	S40 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:20
S43	60	S34 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:21
S44	54	S43 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:44
S45	22974	reference adj clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:44
S46	124	S45 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:48
S47	124	S46 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:48
S48	124	S47 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:49
S49	2	S24 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:49

S50	4994	counter with (PLL or (phase adj lock$2 adj loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:08
S51	90149	clock with counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:51
S52	1866	S50 with S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:51
S53	346952	S50 with S51 comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:51
S54	261	S50 with S51 with comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:51
S55	29	S54 with error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:52
S56	29	S54 with error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:52
S57	0	error adj detet3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:39
S58	72312	PLL or (phase adj lock$2 adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:40
S59	0	error adj detect3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:39

S60	73496	error adj detect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:40
S61	6291	(PLL or (phase adj lock$2 adj loop)) with comparator with PLL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:41
S62	60	(PLL or (phase adj lock$2 adj loop)) with comparator with (error adj detect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:41
S63	7	(PLL or (phase adj lock$2 adj loop)) with comparator with (error adj detect$3) with counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:44
S64	29	(PLL or (phase adj lock$2 adj loop)) SAME comparator SAME (error adj detect$3) SAME counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:51
S65	2	"5448598".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 10:51
S66	10	("3614635" | "4464771" | "4644420" | "4926141" | "5036298" | "5121085" | "5128632" | "5173664" | "5208546" | "5313499").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:55
S67	10	(clock with counter) same (clock with PLL) same (PLL with counter) same (counter with comparator) same (error with output)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:23
S68	1	"4380742".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:14
S69	31	(clock with counter) same (clock with (PLL or (phase adj lock$2 adj loop))) same ((PLL or (phase adj lock$2 adj loop)) with counter) same (counter with comparator) same (error with output)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 13:41

S70	15	(clock with counter) WITH (clock with (PLL or (phase adj lock$2 adj loop))) WITH ((PLL or (phase adj lock$2 adj loop)) with counter) WITH (counter with comparator) WITH (error with output)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 13:46
S71	339	(clock with counter) and (clock with (PLL or (phase adj lock$2 adj loop))) and ((PLL or (phase adj lock$2 adj loop)) with counter) and (counter with comparator) and (error with output)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 13:46
S72	4	S71 and comparator with true	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 13:47
S73	27	missing with (data adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 13:54
S74	1672	713/400	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:01
S75	0	S62 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:01
S76	26	S74 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:01
S77	10	("3614635" | "4464771" | "4644420" | "4926141" | "5036298" | "5121085" | "5128632" | "5173664" | "5208546" | "5313499").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:37
S78	2	"4929918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:45
S79	322	327/151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:45

S80	153	327/151 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:45
S81	3538341	327/151 and pll and clock signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:46
S82	121	327/151 and pll and clock adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:46
S83	54	327/151 and (pll with clock adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:04
S84	9	327/151 and (pll with (clock adj signal) with counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 07:47
S85	10420	error adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:05
S86	5	S79 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:04
S87	31	clock near (error adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:06
S88	17	clock adj (error adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:07
S89	0	pll and (clock adj (error adj detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:06

S90	49642	pll or (phase adj looched adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:08
S91	72368	PLL or (phase adj lock$2 adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:08
S92	7	S91 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 08:09
S93	0	"jp 10-322200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:21
S94	0	"JP10322200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:21
S95	0	"JP10-322200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:21
S96	3	"10-322200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:24
S97	37841	yoshitaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:24
S98	0	yoshitaka-hirai.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:25
S99	3350	"nec electronics"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:25

S10 0	4	S97 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:26
S10 1	34360	taniguchi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:26
S10 2	768491	"mitsubishi"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:26
S10 3	2288	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:27
S10 4	63045	S103 nad pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:27
S10 5	3	S103 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:27